

Issue Date 23-Jun-2011

Revision Date 3-Mar-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name WatchDog CPU Graffiti Remover

Other Means of Identification

SDS # DCI-052

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Graffiti remover.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Dumond Chemicals, Inc.
83 General Warren Blvd
Suite 190
Malvern, PA 19355

Emergency Telephone Number

Company Phone Number 1-609-655-7700
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
---	------------

Signal Word

Warning

Hazard Statements

Harmful if inhaled



Appearance Clear, colorless liquid

Physical State Liquid

Odor Mild

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Call a POISON CENTER or doctor/physician if you feel unwell

Hazards Not Otherwise Classified (HNOC)

Causes mild skin irritation

Other Hazards

Harmful to aquatic life with long lasting effects

Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
2-Butoxyethanol	111-76-2	1-2

Chemical Additions

Contains 30-40% dibasic ester, which is a mixture of dimethyl glutarate (CAS# 1119-40-0) and dimethyl adipate (CAS# 627-93-0) Contains 10-20% proprietary surfactant

4. FIRST AID MEASURES**First Aid Measures**

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if you feel unwell.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation occurs.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician immediately.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms	May cause irritation to the mucous membranes and upper respiratory tract. May cause irritation, redness and pain.
-----------------	---

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians	Treat symptomatically. Individuals with chronic eye, skin and respiratory disorders may be at an increased risk from exposure to this material. Prolonged overexposure may result in kidney or liver damage.
---------------------------	--

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam.

Unsuitable Extinguishing Media Do not use direct water spray.

Specific Hazards Arising from the Chemical

Violent steam generation may occur upon direct application of water stream. At elevated temperatures, containers may rupture. Cool containers exposed to flames with water until well after the fire is out. Decomposition may be hazardous. Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.).

Hazardous combustion products Carbon oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Do not allow into any sewer, on the ground or into any body of water.

Methods and Material for Containment and Cleaning Up

Methods for Containment Collect using an inert absorbent material and place in appropriate containers for disposal.

Methods for Cleaning Up Keep in suitable, closed containers for disposal. Spills and releases may have to be reported to Federal and/or local authorities. See section 15.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Avoid breathing vapors or mists. Use only in well-ventilated areas. Protect container from physical damage. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Follow all SDS/label precautions even after container is emptied because it may retain product residues.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials.

Incompatible Materials Strong oxidizing agents. Acids. Strong alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

Appropriate Engineering Controls

Engineering Controls Provide natural or mechanical ventilation to control exposure levels below airborne exposure limits. Showers. Eyewash stations.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Wear approved safety goggles where a splash hazard exists. Do not wear contact lenses.

Skin and Body Protection Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Wear chemical resistant, impervious gloves for routine industrial use.

Respiratory Protection If occupational exposure limits are exceeded, use NIOSH approved respirator with organic vapor cartridges and dust/mist pre-filter. For higher concentrations (greater than 10 times the recommended exposure limit) an approved supplied air respirator (with escape bottle if required) or self-contained breathing apparatus may be required. Selection of respiratory protection depends on the contaminant type, form, and concentration. Select in accordance with OSHA 1910.134 and good industrial hygiene practice.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	Mild
Appearance	Clear, colorless liquid	Odor threshold	Not determined
Color	Colorless		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	6	
Melting point/freezing point	-13-8 °C / 9-46 °F	
Boiling point/boiling range	120-230 °C / 248-442 °F	
Flash point	102-104 °C / 216-219 °F	Setaflash
Evaporation rate	< 0.01-0.1	(butyl alcohol = 1)
Flammability (solid, gas)	Not determined	
Flammability limits in air		
Upper flammability limits	8.1 (DBE-LVP)	
Lower flammability limit	0.8 (DEB-LVP)	
Vapor pressure	<0.01-11.829 mmHg	@ 60 °C
Vapor density	Not determined	
Specific gravity	0.919-1.1	
Water solubility	Partially soluble	
Solubility in other solvents	Not determined	
Partition coefficient	Not available	
Autoignition temperature	360-375 (DBE-LVP) °C / 680-707 (DBE_LVP) °F	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic viscosity	Not determined	
Explosive properties	Not determined	
Oxidizing Properties	Not determined	

Other Information

VOC Content (%)	< 2%
VOC Content	0.18 lbs/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Take precautionary measures against static discharges.

Incompatible Materials

Strong oxidizing agents. Acids. Strong alkalis.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION**Information on Likely Routes of Exposure****Product Information**

Inhalation	Harmful if inhaled.
Eye Contact	Avoid contact with eyes.
Skin Contact	Causes mild skin irritation.
Ingestion	Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dimethyl Glutarate 1119-40-0	= 8191 mg/kg (Rat)	-	> 5.6 mg/L (Rat) 4 h
Dimethyl Adipate 627-93-0	= 1920 mg/kg (Rat)	-	-
2-Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg (Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h

Information on Physical, Chemical and Toxicological Effects

Symptoms May cause irritation to the mucous membranes and upper respiratory tract. May cause irritation, redness and pain.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol 111-76-2	A3	Group 3		

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical Measures of Toxicity- Product

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	6583 mg/kg
ATEmix (dermal)	165 mg/kg
ATEmix (inhalation-gas)	23077 mg/l
ATEmix (inhalation-dust/mist)	1.6 mg/l
ATEmix (inhalation-vapor)	26.7 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Dimethyl Glutarate 1119-40-0		19.6 - 26.2: 96 h Pimephales promelas mg/L LC50 static		122.1 - 163.5: 48 h Daphnia magna mg/L EC50
2-Butoxyethanol 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50

Persistence and Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined.

Chemical Name	Partition coefficient
2-Butoxyethanol 111-76-2	0.81

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

DOT

Not regulated

IATA

Not regulated

IMDG Not regulated**15. REGULATORY INFORMATION****International Inventories****TSCA** Listed**DSL** Listed**Legend:****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances **IECSC**- China Inventory of Existing Chemical Substances **KECL** -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances**US Federal Regulations**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	111-76-2	1-2	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol 111-76-2	X	X	X

U.S. EPA Label Information**16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	1	1	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	Not determined	Not determined	Not determined	Not determined

Issue Date 23-Jun-2011

Revision Date 12-Dec-2012

Revision Note New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet